



Yorkshire's
Finest
A Collection of Yorkshire's Finest Homes

Smithy Brook Lane
Thornhill



Smithy Brook Lane

Thornhill

£350,000

SET ON A LARGE PLOT EXTENDING TO APPROX. 0.1 ACRE WITH STUNNING FAR REACHING RURAL VIEWS IS THIS BUILDING PROJECT FOR SALE.

The project is part way through the demolition of the existing house and the construction of the building that is destined to replace it. It is more than a building plot as it has the foundations, all the utilities and some of the new walls already erected to the rear of the site.

The plans for the house which will create a state of the art open plan contemporary light and bright luxury home have been approved under planning permission number 2021/62/94298/E and the architect drawings are shown on our images. Yorkshire's Finest believe the finished value of the property will be in the region of £900,000



The house will have four double bedrooms, three bathrooms, vast open plan kitchen dining and living space with separate utility, snug and dog house / study with a covered dog pen or outdoor entertaining area.

WHAT3WORDS

///campus.peach.resurgent

AGENT NOTES

1. MONEY LAUNDERING REGULATIONS: Intending purchasers will be asked to produce identification documentation at a later stage and we would ask for your co-operation in order that there will be no delay in agreeing the sale.
2. General: While we endeavour to make our sales particulars fair, accurate and reliable, they are only a general guide to the property and, accordingly, if there is any point which is of particular importance to you, please contact the office and we will be pleased to check the position for you, especially if you are contemplating travelling some distance to view the property.
3. The measurements indicated are supplied for guidance only and as such must be considered incorrect.
4. Services: Please note we have not tested the services or any of the equipment or appliances in this property, accordingly we strongly advise prospective buyers to commission their own survey or service reports before finalising their offer to purchase.
5. THESE PARTICULARS ARE ISSUED IN GOOD FAITH BUT DO NOT CONSTITUTE REPRESENTATIONS OF FACT OR FORM PART OF ANY OFFER OR CONTRACT. THE MATTERS REFERRED TO IN THESE PARTICULARS SHOULD BE INDEPENDENTLY VERIFIED BY PROSPECTIVE BUYERS OR TENANTS. NEITHER YORKSHIRES FINEST LIMITED NOR ANY OF ITS EMPLOYEES HAS ANY AUTHORITY TO MAKE OR GIVE ANY REPRESENTATION OR WARRANTY WHATSOEVER IN RELATION TO THIS PROPERTY.






601 Wakefield Road, Huddersfield, West Yorkshire, HD5 9XP
Telephone: 01484 432773 Email: huddersfield@yorkshiresfinest.org www.yorkshiresfinest.org



601 Wakefield Road, Huddersfield, West Yorkshire, HD5 9XP
Telephone: **01484 432773** Email: huddersfield@yorkshiresfinest.org www.yorkshiresfinest.org






601 Wakefield Road, Huddersfield, West Yorkshire, HD5 9XP
 Telephone: 01484 432773 Email: huddersfield@yorkshiresfinest.org www.yorkshiresfinest.org




601 Wakefield Road, Huddersfield, West Yorkshire, HD5 9XP
 Telephone: 01484 432773 Email: huddersfield@yorkshiresfinest.org www.yorkshiresfinest.org




Proposed Section A
Scale 1:100



Proposed Section B
Scale 1:100



Proposed Section C
Scale 1:100



Proposed Section D
Scale 1:100



Proposed Section E
Scale 1:100

NOTES: Regulations, NDC requirements and approvals apply. All work to comply with Building Regulations.

FOUNDATION: The proposed design is based on the following assumptions: 1) 100mm of 100mm wide concrete base for external wall. Concrete shall be placed to 100mm below the finished ground level. 2) 100mm of 100mm wide concrete base for internal wall. Concrete shall be placed to 100mm below the finished ground level. 3) 100mm of 100mm wide concrete base for external wall. Concrete shall be placed to 100mm below the finished ground level. 4) 100mm of 100mm wide concrete base for internal wall. Concrete shall be placed to 100mm below the finished ground level.

GROUND FLOOR: 100mm of 100mm wide concrete base for external wall. Concrete shall be placed to 100mm below the finished ground level. 100mm of 100mm wide concrete base for internal wall. Concrete shall be placed to 100mm below the finished ground level.

EXTERNAL WALLS: 100mm of 100mm wide concrete base for external wall. Concrete shall be placed to 100mm below the finished ground level. 100mm of 100mm wide concrete base for internal wall. Concrete shall be placed to 100mm below the finished ground level.

INTERNAL WALLS: 100mm of 100mm wide concrete base for internal wall. Concrete shall be placed to 100mm below the finished ground level. 100mm of 100mm wide concrete base for external wall. Concrete shall be placed to 100mm below the finished ground level.

ROOF: 100mm of 100mm wide concrete base for external wall. Concrete shall be placed to 100mm below the finished ground level. 100mm of 100mm wide concrete base for internal wall. Concrete shall be placed to 100mm below the finished ground level.

STAIRS: 100mm of 100mm wide concrete base for external wall. Concrete shall be placed to 100mm below the finished ground level. 100mm of 100mm wide concrete base for internal wall. Concrete shall be placed to 100mm below the finished ground level.

WINDOWS: 100mm of 100mm wide concrete base for external wall. Concrete shall be placed to 100mm below the finished ground level. 100mm of 100mm wide concrete base for internal wall. Concrete shall be placed to 100mm below the finished ground level.

DOORS: 100mm of 100mm wide concrete base for external wall. Concrete shall be placed to 100mm below the finished ground level. 100mm of 100mm wide concrete base for internal wall. Concrete shall be placed to 100mm below the finished ground level.

GENERAL: The proposed design is based on the following assumptions: 1) 100mm of 100mm wide concrete base for external wall. Concrete shall be placed to 100mm below the finished ground level. 2) 100mm of 100mm wide concrete base for internal wall. Concrete shall be placed to 100mm below the finished ground level. 3) 100mm of 100mm wide concrete base for external wall. Concrete shall be placed to 100mm below the finished ground level. 4) 100mm of 100mm wide concrete base for internal wall. Concrete shall be placed to 100mm below the finished ground level.

FOUNDATION: The proposed design is based on the following assumptions: 1) 100mm of 100mm wide concrete base for external wall. Concrete shall be placed to 100mm below the finished ground level. 2) 100mm of 100mm wide concrete base for internal wall. Concrete shall be placed to 100mm below the finished ground level. 3) 100mm of 100mm wide concrete base for external wall. Concrete shall be placed to 100mm below the finished ground level. 4) 100mm of 100mm wide concrete base for internal wall. Concrete shall be placed to 100mm below the finished ground level.

GROUND FLOOR: 100mm of 100mm wide concrete base for external wall. Concrete shall be placed to 100mm below the finished ground level. 100mm of 100mm wide concrete base for internal wall. Concrete shall be placed to 100mm below the finished ground level.

EXTERNAL WALLS: 100mm of 100mm wide concrete base for external wall. Concrete shall be placed to 100mm below the finished ground level. 100mm of 100mm wide concrete base for internal wall. Concrete shall be placed to 100mm below the finished ground level.

INTERNAL WALLS: 100mm of 100mm wide concrete base for internal wall. Concrete shall be placed to 100mm below the finished ground level. 100mm of 100mm wide concrete base for external wall. Concrete shall be placed to 100mm below the finished ground level.

ROOF: 100mm of 100mm wide concrete base for external wall. Concrete shall be placed to 100mm below the finished ground level. 100mm of 100mm wide concrete base for internal wall. Concrete shall be placed to 100mm below the finished ground level.

STAIRS: 100mm of 100mm wide concrete base for external wall. Concrete shall be placed to 100mm below the finished ground level. 100mm of 100mm wide concrete base for internal wall. Concrete shall be placed to 100mm below the finished ground level.

WINDOWS: 100mm of 100mm wide concrete base for external wall. Concrete shall be placed to 100mm below the finished ground level. 100mm of 100mm wide concrete base for internal wall. Concrete shall be placed to 100mm below the finished ground level.


DOORS: 100mm of 100mm wide concrete base for external wall. Concrete shall be placed to 100mm below the finished ground level. 100mm of 100mm wide concrete base for internal wall. Concrete shall be placed to 100mm below the finished ground level.

REV	DATE	DESCRIPTION
A	15/03/21	Revised drawings made for Building Control


Proposed Sections
 12 Gilling Brook Lane
 Thornhill, WF12 6JD

Mr and Mrs Butler
 Ground and First Floor Extension to
 Previously Converted Barn

Date: 15/03/21
 Scale: 1:100
 Drawing No: WAAP 42 - 05 A



Proposed Ground Floor Plan
Scale 1:100



Proposed First Floor Plan
Scale 1:100

1	23/03/2021	Drawings Plans Added, Amendments for Building Control
REV	DATE	DESCRIPTION
Proposed Plans 12 Grimby Brook Lane Thornhill, WF12 6JD		
Mr and Mrs Bukner Ground and First Floor Extension to Previously Converted Bungalow		
Drawn	Scale	Drawing No.
WJ	1:100	WAAP 42 - 02



601 Wakefield Road, Huddersfield, West Yorkshire, HD5 9XP
Telephone: 01484 432773 Email: huddersfield@yorkshiresfinest.org www.yorkshiresfinest.org





601 Wakefield Road, Huddersfield, West Yorkshire, HD5 9XP
Telephone: 01484 432773 Email: huddersfield@yorkshiresfinest.org www.yorkshiresfinest.org